

**KIWICARE®**

# Technical Sheet

## Weed Weapon Stump Stop Gel

Gel Herbicide for Killing Tree and Shrub Stump Weeds



[www.kiwicare.co.nz](http://www.kiwicare.co.nz)

# Weed Weapon Stump Stop Gel

## About

[Weed Weapon Stump Stop Gel](#) is a powerful gelled herbicide that can be painted onto the cut tree stumps stems and tough weeds immediately after cutting, to kill the root systems and prevent re-growth.



## Benefits and Features

- Targeted treatment of cut tree and shrub stumps and roots.
- Kills stumps fast to encourage stump rotting and removal.
- Does not move through soil; will not harm surrounding plants.
- Ideal for use in environmental projects, garden beds, around established natives, ornamentals, shrubs and trees.
- Red colourant makes it easy to see where treatment has been applied.
- Gel formulation:
  - Stable humectant gel
  - Adheres well to newly cut stumps/stems
  - Releases glyphosate from gel matrix
  - Formulated to resist drying and washing off
  - Giving time for high ai dose
  - Moves easily into stem/stump to roots - systemic

## Controls

- All woody tree and shrub stumps


## Ideal Uses

- Tree and shrub stumps that would re-sprout..
- Where spraying could be harmful to desirable plants close by.
- Spot treatment of [course grasses in fine turf lawns](#).

## Directions

### Stumps:

1. Cut down below the lowest green growth and immediately apply gel.
2. Hold bottle upside down, with the brush against the stump/stem and squeeze bottle.
3. Apply a thick layer to cover the cut surface.



### For ivy and other creeping weeds:

1. Cut the weed back as much as possible, leaving approx. 20 leaves on the stem of each root system.
2. Apply a thick layer on the cut surface and both upper and lower surfaces of the leaves.

### Spot treatment of weeds in lawns:

1. Wearing water proof gloves paint gel onto weeds such as kikuyu, paspalum, couch/twitch, poa and others.

## For best results

- Apply gel within 15 seconds of cutting weed.
- Do not brush vigorously, avoid foaming gel.
- Best applied when growth is active in Spring and Autumn.
- Do not use when rain is due within 12 hours.
- Some weeds may require an additional application.

## Active Ingredients

100 g/L Glyphosate as the Isopropylamine salt.

## Registration

HSNO Approval Code: HSR101117.

## Available As

Brush Tipped Tube: 220 ml, 5 L Refill.

Last Updated: September 2018

# Kiwicare.co.nz

For information, advice and our interactive  
problem solver

Kiwicare Corporation Limited

225 Maces Road, Bromley, Christchurch

Phone (03) 389-0778