

KIWICARE®

Technical Sheet

NO Rats & Mice Dual Action Bait & Powder



www.kiwicare.co.nz

NO Rats & Mice Dual Action Bait & Powder

Benefits and Features

- [NO Rats & Mice Dual Action Bait & Powder](#) effectively kills rats and mice.
- Highly palatable bait that is eaten by rats and mice.
- Plus, powder that clings to fur and is ingested during grooming.
- For use indoors - very effective in dry areas.
- Low eco-toxicity.

Controls

- *Rattus rattus* - roof rats (black rats, ship rats and tree rats).
- *Rattus norvegicus* - sewer rats (Norway rats, water rats, brown rats).
- *Mus musculus* – house mouse (field mouse).

Directions

For Mice

- 1) Sprinkle bait and powder in dry, sheltered, secluded areas such as roof spaces where rats and mice are travelling or place bait in inverted lids or containers.
- 2) Place where there is evidence rat or mice activity.
- 3) Check bait daily and continue to top up until control has been achieved.
- 4) Check bait daily and continue to top up until control has been achieved.
- 5) Place bait in a Kiwicare [mouse bait station](#). A covered bait station is a great option.
- 6) For effective control continue to replace eaten bait until feeding ceases. Once rodent activity has ceased ensure untaken baits are removed and safely disposed of.

For Rats

- 1) Sprinkle bait and powder in dry, sheltered, secluded areas such as roof spaces where rats and mice are travelling or place bait in inverted lids or containers.
- 2) Place where there is evidence rat or mice activity.
- 3) Check bait daily and continue to top up until control has been achieved.
- 4) Check bait daily and continue to top up until control has been achieved.
- 5) Place bait in a Kiwicare [rat bait station](#). A covered bait station is a great option.
- 6) For effective control continue to replace eaten bait until feeding ceases. Once rodent activity has ceased ensure untaken baits are removed and safely disposed of.

Tips & Tricks

- Eliminate as many alternative food sources as possible.
- Human odours may deter rodents; wear gloves when handling bait.
- Place baits under cover, along walls or rafters and in dark sheltered areas where there are signs of rodent activity.
- Inspect bait at least every 7 days and replenish eaten baits until feeding ceases.
- One Feed is sufficient to kill a rat or mouse but they will continue to eat bait.
- It may take up to 2 weeks to control a significant rodent problem.

For Best Results

- In areas where children, pets or other non-targets could access use [NO Mice Bait Stations](#) or [NO Rats Bait Stations](#). Bait stations protect people and animals from the bait and the bait from moisture and contamination. They also help bait take as rodents feel more comfortable in enclosed spaces.
- Roof voids exclude animals and children and perform the function of a bait station but [NO Rats & Mice Bait Blocks](#) should be fixed in place by nailing or wiring plastic bags containing the bait in place. This stops roof rats taking whole baits away and storing them in their food cache and forces them to eat in situ.

Active Ingredients

0.5g/kg Coumatetralyl in the form of bait. ANTIDOTE - Vitamin K.

Registration

EPA Approval Number: HSR001605.

Registered Pursuant to the ACVM Act 1997 No. V2999. See foodsafety.govt.nz for registration conditions.

Caution

Keep out of the reach of children. Place baits out of reach of pets and non-target species. Do not eat or smoke while using. Wear waterproof gloves when applying.

Available As

- 200 g
- 375 g

Complementary Products

- [NO Rats & Mice Bait Blocks](#).
- [NO Mice One Feed Mice Bait Station](#) - prefilled mice bait station with 1 x NO Rats & Mice One Feed Block.
- [NO Rats One Feed Bait Station](#) - Rat bait station including 100 g NO Rats & Mice One Feed Blocks pouch.



Last Updated: March 2018

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited
225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778