

KIWICARE®

Technical Sheet

NO Rats & Mice One Feed

One Feed is all they need



www.kiwicare.co.nz

NO Rats & Mice One Feed Blocks

Benefits and Features

- [NO Rats & Mice One Feed](#) bait blocks will kill rats and mice.
- Contains attractant and highly palatable to rats and mice.
- Flavour deterrent to non-target animals
- Octagonal shape gives rodents edges to get their teeth into
- Waxed formulation for resistance to moisture, heat and deterioration.
- Hole in block for fixing bait in place.
- Ideal for use in the lockable and refillable NO Mice and NO Rats Bait Stations.
- Number 1 rodenticide in United Kingdom.
- Each block weighs 20g.
- For use indoors and outdoors.



Controls

- *Rattus rattus* - roof rats (black rats, ship rats and tree rats).
- *Rattus norvegicus* - sewer rats (Norway rats, water rats, brown rats).
- *Mus musculus* – house mouse (field mouse).

Directions

For mice

- 1) Use single bait blocks 5 m apart, or 2 m apart for high infestations.
- 2) Place bait in a Kiwicare mice bait station or fix bait to with a nail through the centre.
- 3) For effective control continue to replace eaten bait until feeding ceases. Once rodent activity has ceased ensure untaken baits are removed and safely disposed of.

For Rats

- 1) Use 1 to 3 blocks 10 m apart, or 5 m apart for high infestations.
- 2) Place bait in a Kiwicare rat bait station or fix bait to with a nail through the centre.
- 3) For effective control continue to replace eaten bait until feeding ceases. Once rodent activity has ceased ensure untaken baits are removed and safely disposed of.

Tips & Tricks

- Eliminate as many alternative food sources as possible.
- Human odours may deter rodents; wear gloves when handling bait.
- Place baits under cover, along walls or rafters and in dark sheltered areas where there are signs of rodent activity.
- Inspect baits at least every 7 days and replenish eaten baits until feeding ceases.
- One Feed is sufficient to kill a rat or mouse but they will continue to eat bait.
- It may take up to 2 weeks to control a significant rodent problem.

For Best Results

- In areas where children, pets or other non-targets could access use [NO Mice Bait Stations](#) or [NO Rats Bait Stations](#). Bait stations protect people and animals from the bait and the bait from moisture and contamination. They also help bait take as rodents feel more comfortable in enclosed spaces.
- Roof voids exclude animals and children and perform the function of a bait station but [NO Rats & Mice One Feed Blocks](#) should be fixed in place by nailing or wiring the bait in place. This stops roof rats taking whole baits away and storing them in their food cache and forces them to eat in situ.

Active Ingredients

0.05 g/kg Brodifacoum and 0.01 g/kg bittering agent Denatonium Benzoate in the form of a bait.

Antidote - Vitamin K.

Registration

EPA Approval Number: HSR001594

Registered pursuant to the ACVM Act 1997, No. V9601. See foodsafety.govt.nz for registration conditions.

Caution

Keep out of the reach of children. Place baits out of reach of pets and non-target species. Do not eat or smoke while using. Wear waterproof gloves when applying.

Available As

- 80 g pottle – 4 baits.
- 160 g pottle – 8 baits.
- 400 g pottle – 20 baits.
- 1 kg pail – 48 baits approx.
- 3 kg pail – 143 baits approx.

Complementary Products

- [NO Mice One Feed Mice Bait station](#) - prefilled mice bait station with 1 x NO Rats & Mice One Feed Block.
- [NO Rats One Feed Bait Station](#) - Rat bait station including 100 g NO Rats & Mice One Feed Blocks pouch.
- [NO Rats & Mice Bait Blocks](#).
- [Dual Action Bait & Powder](#).



WWW.KIWICARE.CO.NZ

Last Updated: May 2018

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited
225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778