

KIWICARE®

Technical Sheet

Weed Weapon Extra Strength

Kills weeds quickly and to the roots



www.kiwicare.co.nz

Weed Weapon Extra Strength

Weed Weapon Extra Strength is a post-emergence weedkiller with rapid activity recommended for the control of annual grasses and broad-leaved weeds.

About

Weed Weapon Extra Strength contains 2 active ingredients with different modes of action:

- Glyphosate controls existing weeds by moving into the weed and down to the roots.
- Saflufenacil moves into the leaves of existing weeds and blocks photosynthesis causing rapid damage to green parts of the plant this allows glyphosate to enter and assists its movement to the roots.



Benefits and Features

- Ideal for the control of weeds in driveways, paths and fence lines.
- Kills a broad range of weeds and grasses.
- Kills to the roots for effective control.
- Biodegradable in soil.
- Rain fast in 2 hours.
- Can be used all year round.
- Safe for children and pets once dry.

Controls

- | | | | |
|----------------------------------|-----------------------------------|--|---------------------------------|
| • Agapanthus | • Cornbind | • Groundsel | • Spurrey |
| • Annual grasses | • Cut-leaved geranium | • Hawksbeard | • Tradescantia |
| • Bindweed | • Daisies | • Ivy | • Twincross |
| • Bittercress | • Dandelion | • Nettle | • Wandering Jew |
| • Blackberry | • Docks | • Onion weed | • Wild portulaca |
| • Broom | • Fathen | • Oxalis spp. | • Wild turnip |
| • Carrot weed | • Field bindweed | • Plantain | • Willow weed |
| • Chickweed | • Field speedwell | • Red deadnettle | • Wireweed |
| • Redroot | • Fumitory | • Scrambling fumitory | • Yarrow |
| • Cleavers | • Galinsoga | • Scrambling speedwell | ... and more |
| • Clovers | • Gorse | • Shepherd's purse | |
| • Convolvulus | • Grasses | • Sow thistle | |

Ideal Uses

Waste areas, roadsides, paths, driveways, flower beds, and other non-crop areas.

Directions

Concentrate

1. Shake well before use.
2. Dilute 12.5 ml in 1 L water. (1 L mix covers 10 m²)
3. Apply using a pressure sprayer onto weed foliage until just wet.
4. Avoid applying when rainfall is expected within 2 hours as it may reduce effectiveness.

For best results

- For post-emergent control apply when weeds are actively growing. Expect visible effects in as little as two days.
- Weeds may be removed and/or planting can occur in treated area 5 days after spraying.
- Most effective when weeds are actively growing.

Tips & Tricks

- Effects can take up to 7 days to show on some tough weeds or weeds in deep shade. In these cases a second application is recommended after 7 days.
- Best applied in sunny weather with temperatures over 10°C.
- Spray in calm conditions to reduce the chance of overspray onto desirable plants. If desirable plants are sprayed, immediately hose off with water.

Caution

- Do not mow or cultivate after treatment until weeds have died.
- Wait 5 days before planting in sprayed areas.
- Avoid contact with foliage, new bark or near roots of desirable plants. If a desirable plant is sprayed, immediately hose off with water.
- On lawn weeds, use spot treatment as Weed Weapon will kill lawn grasses.
- Do not use around fruity vines, avocado trees or sensitive plants.

Active Ingredients

Concentrate: 285.1 g/L Glyphosate, 5.6 g/L Saflufenacil in the form of a soluble concentrate.

Registration

Concentrate: HSNO Approval Code HSR100724

Available As

Concentrate: 250 ml, 500 ml, 1 L, 2.0 L, 2.2 L 5 L and 20 L

Related Products

- [Weed weapon Long Term](#)
- [Weed Weapon Natural Power](#)
- [Weed Weapon Preventer](#)

Last Updated: March 2018

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited
225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778